

Package: bmet (via r-universe)

September 5, 2024

Title Bayesian Multigroup Equivalence Testing

Version 0.1.0

Description Calculates the necessary quantities to perform Bayesian multigroup equivalence testing. Currently the package includes the Bayesian models and equivalence criteria outlined in Pourmohamad and Lee (2023) <[doi:10.1002/sta4.645](https://doi.org/10.1002/sta4.645)>, but more models and equivalence testing features may be added over time.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Imports MASS, MCMCpack, stats, utils

Repository <https://tpourmohamad.r-universe.dev>

RemoteUrl <https://github.com/tpourmohamad/bmet>

RemoteRef HEAD

RemoteSha ae0b57594353f5dc07eb4c72cc29e115cebe1b24

Contents

apc	2
bet	2
betpp	4
Index	6

apc *All pairwise comparisons*

Description

Function creates a contrast matrix for all pairwise comparisons

Usage

```
apc(ngroups, labs = NULL)
```

Arguments

ngroups A positive integer greater than 1 denoting the number of groups
labs A vector of groups labels with length equal to ngroups. The default is set to NULL, and if used, the labels will be set to 1:length(ngroups).

Value

The function returns a matrix of all pairwise contrasts.

Examples

```
### A contrast matrix based on all pairwise contrasts of 5 groups  
apc(5)
```

```
### Adding group labels  
apc(5, labs = paste("Group", 1:5, sep = " "))
```

bet *Posterior based Bayesian multigroup equivalence testing*

Description

Function provides the necessary tools to carry out Bayesian multigroup equivalence testing based on sampling of the posterior distribution. The function returns posterior samples of the average differences amongst groups, as well as posterior samples of group variances.

Usage

```
bet(values, groups, em, A, B = 10000, test = "mean")
```

Arguments

values	A vector of measurements sorted in the same order as the groups variable.
groups	A vector of groups labels corresponding to the individual measurements in the groups variable.
em	A $c \times 2$ matrix of lower and upper equivalence margins. Here, c is the number of pairwise comparisons of interest.
A	A $c \times k$ matrix of pairwise contrasts. Here, k is the number of groups, i.e., <code>length(unique(groups))</code> .
B	A positive integer specifying the number of posterior samples to draw. By default B is set to 10000.
test	Setting this to anything other than "mean" tells the function to not calculate the posterior probability that the average differences fall within the equivalence margins (applicable when testing equivalence based on something other than just average differences).

Value

The function returns a list object containing the following:

- prob: The posterior probability that the average differences fall within the equivalence margins. Only returned if `test == "mean"`.
- delta: A $B \times c$ matrix of posterior samples of the average difference for each pairwise comparison of interest.
- sigma2: A $B \times k$ matrix of posterior samples of the variance for each group.

References

Pourmohamad, T. and Lee, H.K.H. (2023). Equivalence Testing for Multiple Groups. Stat, e645.

Examples

```
### Multigroup equivalence test for A vs. B and A vs. C
values <- rnorm(75)
groups <- rep(LETTERS[1:3], each = 25)

mad1 <- 0.65 # The equivalence margin for A vs. B
mad2 <- 0.65 # The equivalence margin for A vs. C
mads <- c(mad1, mad2)
mads <- cbind(-mads, mads)

A <- apc(3)
A <- A[1:2, ]

out <- bet(values, groups, mads, A, B = 10000)

out$prob # The posterior probability that the average
# differences fall within the equivalence margins
```

betpp

Posterior predictive based Bayesian multigroup equivalence testing

Description

Function provides the necessary tools to carry out Bayesian multigroup equivalence testing based on sampling of the posterior predictive distribution. The function returns posterior predictive samples of future differences amongst groups.

Usage

```
betpp(values, groups, em, A, B = 10000)
```

Arguments

values	A vector of measurements sorted in the same order as the groups variable.
groups	A vector of groups labels corresponding to the individual measurements in the groups variable.
em	A $c \times 2$ matrix of lower and upper equivalence margins. Here, c is the number of pairwise comparisons of interest.
A	A $c \times k$ matrix of pairwise contrasts. Here, k is the number of groups, i.e., <code>length(unique(groups))</code> .
B	A positive integer specifying the number of posterior predictive samples to draw. By default B is set to 10000.

Value

The function returns a list object containing the following:

- prob: The probability that future differences fall within the equivalence margins.
- delta: A $B \times c$ matrix of posterior predictive samples of future differences for each pairwise comparison of interest.

References

Pourmohamad, T. and Lee, H.K.H. (2023). Equivalence Testing for Multiple Groups. Stat, e645.

Examples

```
### Multigroup equivalence test for A vs. B and A vs. C
values <- rnorm(75)
groups <- rep(LETTERS[1:3], each = 25)

mad1 <- 0.65 # The equivalence margin for A vs. B
mad2 <- 0.65 # The equivalence margin for A vs. C
mads <- c(mad1, mad2)
mads <- cbind(-mads, mads)
```

```
A <- apc(3)
A <- A[1:2, ]

out <- betpp(values, groups, mads, A, B = 10000)

out$prob # The probability that future differences
         # fall within the equivalence margins
```

Index

apc, [2](#)

bet, [2](#)

betpp, [4](#)